

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TI	ME OUT	
PAGE 1	of 2		

WITH ANY TIME LIM	ECTION THIS DAY, THE ITEMS NOTED BELOW IDENTIF PECTION, OR SUCH SHORTER PERIOD OF TIME AS MA ITS FOR CORRECTIONS SPECIFIED IN THIS NOTICE MA	Y BE SPE	CIFIED IN W	VRITING BY T	HE REGULATORY AUTHORITY. FAILURE TO (JR FOOD OPERATIONS.	TED BY THE COMPLY
ESTABLISHMEN	PROFE ELEMENTARY SCHOOL	DON	CHRI	STENSON	Supr DERSON IN CHARGE:	5
ADDRESS:	20 Huy 60				COUNTY	
CITY/ZIP:	TREE, MO. 65438 PHONE - 29	2-3/0	FAX:		P.H. PRIORITY: H M	/ □ L
PURPOSE SCHOOL SENIOR CENTER TEMP. FOOD TAVERN				OCERY STOR ERN	E INSTITUTION MOBILE VENDORS	
☐ Pre-opening	☑ Routine ☐ Follow-up ☐ Complaint ☐	Other				
FROZEN DESSERT Approved Disapproved Not Applicable License No. PRIVATE		SAL		WATER SUPPLY COMMUNITY NON-COMMUNITY PRIVATE Date Sampled Results		
Pick factors are fee	RISK FACT					
loodbottle lilless ou	od preparation practices and employee behaviors most computer threaks. Public health interventions are control measures	monly repor to prevent	rted to the C foodborne il	Centers for Dis- Ilness or injury	ease Control and Prevention as contributing factor	's in
Compliance IN OUT	Demonstration of Knowledge Person in charge present, demonstrates knowledge,	COS F	Complia	T N/O N/A	Potentially Hazardous Foods Proper cooking, time and temperature	COS R
	and performs duties Employee Health			T N/O N/A		
IN OUT	Management awareness; policy present		IN OU	T NO NA	Proper reheating procedures for hot holding Proper cooling time and temperatures	
	Proper use of reporting, restriction and exclusion Good Hygienic Practices		IN OU	T N/O N/A I N/A	Proper hot holding temperatures Proper cold holding temperatures	
(IN) OUT N/O	Proper eating, tasting, drinking or tobacco use No discharge from eyes, nose and mouth			T N/O N/A	Proper date marking and disposition	
	Preventing Contamination by Hands		114 00	I NO NA	Time as a public health control (procedures / records)	
IN OUT NO	Hands clean and properly washed		IN OU	T N/A	Consumer Advisory Consumer advisory provided for raw or	
(N) OUT N/O	No bare hand contact with ready-to-eat foods or	×			undercooked food Highly Susceptible Populations	
(IN) OUT	approved alternate method properly followed Adequate handwashing facilities supplied &		IN OU	T N/O N/A	Pasteurized foods used, prohibited foods not	
	accessible Approved Source				offered	
IN OUT	Food obtained from approved source		IN OU	T N/A	Chemical Food additives: approved and properly used	
IN OUT N/O N/A	Food received at proper temperature		IN OU	Т	Toxic substances properly identified, stored and used	
IN OUT N/O N/A	Food in good condition, safe and unadulterated Required records available: shellstock tags, parasite		IN OUT	T 47/6	Conformance with Approved Procedures	
331 1.03	destruction		IN OU	T NA	Compliance with approved Specialized Process and HACCP plan	
OUT N/A	Protection from Contamination Food separated and protected				each item indicates that item's status at the time	of the
N OUT N/A	Food-contact surfaces cleaned & sanitized		inspection IN =	on. = in compliance	OUT = not in compliance	
AND OUT N/O	Proper disposition of returned, previously served,			not applicable Corrected On	N/O = not observed	
	reconditioned, and unsafe food	OD RETAIL	PRACTICE	Ÿ	· · · · · · · · · · · · · · · · · · ·	
IN OUT	Good Retail Practices are preventative measures to cont	trol the intro	oduction of p	oathogens, che	emicals, and physical objects into foods.	
	Safe Food and Water C steurized eggs used where required	COS R	IN OL	The second secon	Proper Use of Utensils ensils: properly stored	COS R
Wa	iter and ice from approved source		1	Utensils,	equipment and linens: properly stored, dried,	
	Food Temperature Control			handled Single-us	se/single-service articles: properly stored, used	
	equate equipment for temperature control proved thawing methods used		annua.		sed properly	
	ermometers provided and accurate		1/	Food and	Utensils, Equipment and Vending nonfood-contact surfaces cleanable, properly	
	Food Identification			designed	I, constructed, and used shing facilities: installed, maintained, used: test	
For	od properly labeled; original container		1	strips use		
	Prevention of Food Contamination		1		Physical Facilities	
Cor	ects, rodents, and animals not present ntamination prevented during food preparation, storage		1		cold water available; adequate pressure g installed; proper backflow devices	
Per	d display rsonal cleanliness: clean outer clothing, hair restraint,		V		and wastewater properly disposed	
fing	pernails and jewelry Ding cloths: properly used and stored		1		illities: properly constructed, supplied, cleaned	
Fru	its and vegetables washed before use		V	Garbage.	/refuse properly disposed; facilities maintained	
Person in Charge / Title Date: 2/13/75						
Inspector:	Telepho	one Nø.	11 > 1	EPHS No	1 (6000)	☑ No
MO 580-1814 (11-14)	Telepho	1161	- 4131	920	Follow-up Date:	- 110



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT
PAGE a of	

BIRCH TREE Elen. OSY OLD HWY 60 BIR	HTREE, MO.	ZIP /_SU37
FOOD PRODUCT/LOCATION TEMP. FOOD PRODUCT/ LOCA		TEMP.
MIK / BOOLEL 370 CHICKEN NIGS / ST	EAN Pable	1540
CHECKLI 300 41° CHEDDATONI SE	eving	1 37 1
The state of the s		
Code		
Reference Priority items contribute directly to the elimination, prevention or reduction to an acceptable level, hazards associate or injury. These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.	ed with foodborne illness	Correct by Initial (date)
3-50/18- Mill (Seaung), Con 64 2/17/20 456 By 0	-/ Ca	556 611
DISCHEDED/CORPLECTION.		economical and a second
- CUTTING BLARDS NEED SANDOD OR POSSED &	- NEW DNES	
Code CORFITEMS		
Reference Core items relate to general sanitation, operational controls focilities are structured controls for items.	tenance or sanitation	Correct by (date) Initial
	tenance or sanitation stated.	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as	Kefrig	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as	tenance or sanitation stated.	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 These many and the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 These many and the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 These many and the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 These many and the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 These many and the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 These many and the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 These many and the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 These many and the standard operating procedures (SSOPs).	Kefrig	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operation of th	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as ANALLY THE MARKET BARBOOK TO THE MARKET AND ANALLY TO SANITIZE AGENT TO SANITIZE	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol operation of the standard operation o	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol operation of the standard operation o	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol operation of the standard operation o	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol operation of the standard operation o	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol operation of the standard operation o	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-204.11 The montrol operation of t	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as the corrected by the ne	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol of the standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as 4-201.11 The montrol operation of the standard operation o	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as \$4-204.11 The management of the procedures (SSOPs). These items are to be corrected by the next regular inspection or as \$4-204.11 The management of the procedure of the proced	KEFRIG CHORINE?	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as the corrected by the ne	Stated. KEFRIG LORINE AND	
Reference Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general main standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as \$4-204.11 The management of the procedures (SSOPs). These items are to be corrected by the next regular inspection or as \$4-204.11 The management of the procedure of the proced	Stated. KEFRIG CHIRINE PAINTER CHIRINE PAINTER CHIRINE PAINTER CONTRACTORISMONIA CO	