

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 45	TIME OUT
PAGE / of	2

NEXT ROUTINE	INSPEC	CTION, OR SUCH SHORTER PE	RIOD OF TIME AS	MAY BE	SPECII	FIED IN	I WRIT	TING BY T	HE REC	FACILITIES WHICH MUST BE CORRECT GULATORY AUTHORITY. FAILURE TO CORRECT OF CORRECT OF THE PROPERTY OF THE PROP	TED BY	THE
ESTABLISHM			OWNER:	1	SULTI	IN CES	SATIC	IN OF YOU	JK FUC	PERSON IN CHARGE:	////	1
Winone	Do	11s, Girin	Lorpo.	14/0						Interita Ite	17/1	510
ADDRESS:	80	269 Hwg,	19							COUNTY: 54 conda		
CITY/ZIP: W	100	ns 65588	573/32	:5/8.	3/0	FAX:				P.H. PRIORITY :	1 1 1 1	
ESTABLISHMENT BAKERY RESTAUR		☐ C. STORE ☐ CATERE ☐ SCHOOL ☐ SENIOR		ELI EMP. FOO)D	G TA		RY STORI		☐ INSTITUTION ☐ MOBILE VENDORS		
PURPOSE Pre-openir	ng	☑ Routine ☐ Follow-up	☐ Complaint	☐ Oth								
FROZEN DES Approved DE License No.	Disappr	oved Not Applicable	PUBLIC PRIVATE		٦	WATE C	DMMU	JNITY		NON-COMMUNITY PRIVAT Date Sampled Results		
Dick factors or	o food n	proporation practices and employe	RISK FA						esse Co	ontrol and Prevention as contributing factor	e in	
foodborne illnes		eaks. Public health interventions	are control measu	res to pre	vent fo	odborn	e illne	ss or injury				
Compliance IN OUT		Demonstration of Kr Person in charge present, demo and performs duties		cos	R		pliance OUT N	I/O(NA	Prope	Potentially Hazardous Foods r cooking, time and temperature	COS	R
A) aut		Employee Hea						I/O N/A		r reheating procedures for hot holding		
IN OUT		Management awareness; policy Proper use of reporting, restriction						I/O N/A		r cooling time and temperatures r hot holding temperatures		
OUT N/O		Good Hygienic Pr Proper eating, tasting, drinking of					TUC	N/A		r cold holding temperatures r date marking and disposition		
IN OUT N/O		No discharge from eyes, nose a						I/O N/A	Time a	as a public health control (procedures /		
		Preventing Contaminati	on by Hands			,		0	record	Consumer Advisory		
IN OUT N/O	1	Hands clean and properly washe				IN C	TUC	(N/A		imer advisory provided for raw or cooked food		
IN OUT N/O		No bare hand contact with ready								Highly Susceptible Populations		
approved alternate method properly followed Adequate handwashing facilities supplied & accessible				IN OUT N/O N/A Pasteurize offered			urized foods used, prohibited foods not					
(C) OUT		Approved Sou				AN C	UIT	N/A	Food	Chemical additives: approved and properly used		
IN OUT N/O	N/A	Food obtained from approved so Food received at proper temperature.				IN		IN/A		substances properly identified, stored and		
(IN OUT	0	Food in good condition, safe and						1	C	onformance with Approved Procedures		
IN OUT N/O	N/A)	Required records available: she destruction Protection from Cont		В		IN C	DUT	(N/A		liance with approved Specialized Process ACCP plan		
(IN) OUT N	V/A	Food separated and protected	difficiation					the left of	f each it	em indicates that item's status at the time	of the	
IN OUT N	V/A	Food-contact surfaces cleaned a	k sanitized			inspection. IN = in compliance OUT = not in compliance						
IN OUT N/O		Proper disposition of returned, p	reviously served,			N/A = not applicable N/O = not observed COS = Corrected On Site R = Repeat Item						
				GOOD RE								
IN OUT		Good Retail Practices are preven Safe Food and Water		control the	e introd R	IN	of path OUT	ogens, che	emicals	, and physical objects into foods. Proper Use of Utensils	cos	R
		urized eggs used where required					-			properly stored nent and linens: properly stored, dried,		
	vvater	and ice from approved source				-		handled				
-	Adequ	Food Temperature Contacte equipment for temperature co				-		Single-us Gloves u		e-service articles: properly stored, used operly	er of the	
.7	Appro	ved thawing methods used							Uten	sils, Equipment and Vending		
	Inerm	nometers provided and accurate Food Identification					_	designed	d, const	od-contact surfaces cleanable, properly ructed, and used acilities: installed, maintained, used; test		
	Food	properly labeled; original containe				V		strips us	ed	t surfaces clean		
	Insect	Prevention of Food Contam s, rodents, and animals not prese		Cos		1		Physical Facilities Hot and cold water available; adequate pressure				
V	Conta	mination prevented during food pr				V				ed; proper backflow devices		
V		spiay nal cleanliness: clean outer clothir nails and jewelry	g, hair restraint,			V		Sewage	and wa	stewater properly disposed		
	Wiping	g cloths: properly used and stored and vegetables washed before us	0			1/				properly constructed, supplied, cleaned properly disposed; facilities maintained		
							X			s installed, maintained, and clean	205	
Person in Cha	arge /T	itle:								Date: 2/13/25	—	
Inspector:	50	11/2	9/	phone N	141	3/		EPHS No	3	Follow-up Date:		lo
MO 580-1814 (11-14)			DISTRIBUTION: WHI	L - OWNER	SCOPY			CANARY - FI	LE CUPY			E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIMEIN	4	T	TIME OUT
PAGE	Z	of	2

111:00	1 1/200 /0 /	DDRESS 8269	Hwy 18	Win	ans h	ZIP 6 516	TO
Winde	OD PRODUCT/LOCATION	TEMP.		DDUCT/ LOCATIO	F1 /2 1 1 1	TEMF	0.
Pepper	Vac Cool.	37 14	cm / 6	In Del	(Cale	78	
Grege	2000	36 /	Solors	PU		37	
While I	nil- Dain	37 E	255		_	41	
2%	" - "	38 F	- Al Squsing			37	
Chec	- Approximate.	34 B	scon I			36	
		PRIORIT pation, prevention or reduc	tion to an acceptable level, h	nazards associated v		Correct by (date)	Initial
	or injury. These items MUST RECEIVE IMM	MEDIATE ACTION within	72 hours or as stated.				
							,
	2 1	Dist	11 1 1 200				
	110	polocity	0,06/100)			
		/					
						\ \	
Code Reference	Core items relate to general sanitation, oper	CORE ational controls, facilities of		ign, general mainten	ance or sanitation	Correct by (date)	Initial
Reference	Core items relate to general sanitation, oper standard operating procedures (SSOPs). The standard operating procedures (SSOPs).	ational controls, facilities of hese items are to be corr	or structures, equipment des	ign, general mainten inspection or as st	ance or sanitation ated.		Initial
Code Reference	standard operating procedures (SSOPs). The standard operating procedures (SSOPs).	rational controls, facilities of these items are to be correctly and single states of the second states of the sec		ign, general mainten inspection or as st	ance or sanitation ated.		Initial
Reference	Core items relate to general sanitation, oper standard operating procedures (SSOPs). The standard operating procedures (SSOPs). The standard operating procedures (SSOPs).	rational controls, facilities of these items are to be correctly and single states of the second states of the sec	or structures, equipment des	ign, general mainten	ance or sanitation		Initial
Reference	standard operating procedures (SSOPs). The standard operating procedures (SSOPs).	ational controls, facilities of hese items are to be control of the control of th	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as sta	ance or sanitation		Initial
Reference	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical of Alexander of Alexa	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as sta	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). The standard operating procedures (SSOPs) and standard operating procedures (SSOPs). The standard operating procedures (SSOPs) and standard operating procedures (SSOPs). The standard operating procedures (SSOPs) are standard operating procedures (SSOPs). The standard operating procedures (SSOPs) are standard operating procedures (SSOPs). The standard operating procedures (SSOPs) are standard operating procedures (SSOPs). The standard operating procedures (SSOPs) are standard operating procedures (SSOPs). The standard operating procedures (SSOPs) are standard operating procedures (SSOPs). The standard operating procedures (SSOPs) are standard	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as sta	ance or sanitation		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as str	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as sta	ance or sanitation		Initial
G - SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as st	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as sta	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as st	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as st	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as st	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as st	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Electrical Controls August 4	or structures, equipment des rected by the next regular to ch. Rom	ign, general mainten inspection or as st	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Linc Of Agency Change of the control of Agency of Agency of Agency of Agency of Agency of the control of Agency of the control of the con	or structures, equipment des rected by the next regular routh Roum Cct gct / 1 2 0 f	the Cat	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Linc Of Agency Change of the control of Agency of Agency of Agency of Agency of Agency of the control of Agency of the control of the con	or structures, equipment des rected by the next regular to ch. Rom	the Cat	ance or sanitation ated.		Initial
G = SOI	standard operating procedures (SSOPs). TI L	ational controls, facilities of hese items are to be controls. Linc Of Agency Change of the control of Agency of Agency of Agency of Agency of Agency of the control of Agency of the control of the con	or structures, equipment des rected by the next regular routh Roum Cct gct / 1 2 0 f	the Cat	ance or sanitation ated.		Initial
G = SOI	Standard operating procedures (SSOPs) TI	ational controls, facilities of hese items are to be controls. Linc Of Agency Change of the control of Agency of Agency of Agency of Agency of Agency of the control of Agency of the control of the con	or structures, equipment des rected by the next regular routh Roum Cct gct / 1 2 0 f	the Cat	ance or sanitation ated.		Initial
G - 501,	Standard operating procedures (SSOPs) TI	ational controls, facilities of hese items are to be controls. Linc Of Agency Change of the control of Agency of Agency of Agency of Agency of Agency of the control of Agency of the control of the con	or structures, equipment des rected by the next regular to city. Rown Cott get 11 July Cott Management of the comments of the	the Cafe	ated.	(date) 205	Initial